


2019 STSW Survey


*Survey invitations were sent to 434 STSW members.
151 social workers responded.*

Years Employed


- As a social worker
- As a transplant social worker




Earned CCTSW/CCSW-MCS




Licensed at highest level?




Memberships held this year




Populations served




Population served



Time for pediatric psychosocial eval




When pediatric psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.


Risk scales used in pediatric txp




Pediatric txp staffing, RN:SW




Pediatric staffing by txp volume



Pediatric txp evaluations




How long pediatric SW follows patients (inpatient & outpatient)




- ≤ 6 months post-op
- > 6-12 months post-op
- > 1 year-2 years post-op
- > 2 years post-op
- until transition to adult care


Current pediatric txp caseload



Time for kidney/panc psychosocial eval




When kidney/panc psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.


Risk scales used in kidney/panc txp




Kidney/panc txp staffing, RN:SW




Kidney/panc staffing by txp volume




Kidney/panc txp evaluations per week




How long kidney/panc SW follows inpatients




How long kidney/panc SW follows outpatients




Current kidney/panc txp caseload



Time for liver txp psychosocial eval




When liver txp psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.


Risk scales used in liver txp




Liver txp staffing, RN:SW




Liver staffing by txp volume




Liver txp evaluations per week




How long liver txp SW follows inpatients




How long liver txp SW follows outpatients




Current liver txp caseload



Time for MCS psychosocial eval




When MCS psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.

Risk scales used in MCS


Psychosocial Assessment of Candidates for Transplantation (PACT)
Transplant Evaluation Rating Scale (TERS)
Stanford Integrated Psychosocial Assessment for Transplant (SIPAT)
STSW Psychosocial Risk Profile Scoring Tool
I don't use a risk scale.




MCS staffing, RN:SW




MCS staffing by volume




MCS evaluations per week




How long SW follows MCS patients (inpatient & outpatient)




Current MCS caseload



Time for heart txp/MCS psychosocial eval




When heart txp/MCS psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.


Risk scales used in heart txp/MCS




Heart txp/MCS staffing, RN:SW




Heart txp/MCS staffing by volume




Heart txp/MCS evaluations per week




How long SW follows heart txp inpatients




How long SW follows MCS inpatients




How long SW follows heart txp outpatients




How long SW follows MCS outpatients




Current heart txp/MCS caseload



Time for lung txp psychosocial eval




When lung txp psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.


Risk scales used in lung tpx




Lung txp staffing, RN:SW




Lung staffing by txp volume




Lung txp evaluations per week




How long lung txp SW follows inpatients




How long lung txp SW follows outpatients




Current lung txp caseload



Time for living donor psychosocial eval




When living donor psychosocial eval is done




- Toward the beginning, before a medical determination is made.
- Toward the end, after a medical determination is made.
- It varies.


Living donor staffing, RN:SW




Living donor staffing by volume




Living donor evaluations per week




Current living donor caseload




Job titles




Job tasks (1 of 3)




Job tasks (2 of 3)




Job tasks (3 of 3)




Patients SW does discharge planning for:




SW discharge planning tasks (1 of 2)




SW discharge planning tasks (2 of 2)



Department paying SW salary




STSW expenses employer will pay



Where we work


- US Region 1: CT, ME, MA, NH, RI, Eastern VT
- US Region 2: DE, DC, MD, NJ, PA, WV
- US Region 3: AL, AR, FL, GA, LA, MS, PR
- US Region 4: OK, TX
- US Region 5: AZ, CA, NV, NM, UT
- US Region 6: AK, HI, ID, MT, OR, WA
- US Region 7: IL, MN, ND, SD, WI
- US Region 8: CO, IA, KS, MO, NE, WY
- US Region 9: NY, Western VT
- US Region 10: IN, MI, OH
- US Region 11: KY, NC, SC, TN, VA
- outside United States




US Salaries

Other salaries omitted due to limited responses


US Salaries




Salary - Region 1: CT, ME, MA, NH, RI & Eastern VT




Salary - Region 2: DE, DC, MD, NJ, PA, WV




Salary - Region 3: AL, AR, FL, GA, LA, MS, PR




Salary - Region 4: OK, TX




Salary - Region 5: AZ, CA, NV, NM, UT




Salary - Region 6: AK, HI, ID, MT, OR, WA




Salary - Region 7: IL, MN, ND, SD, WI




Salary - Region 8: CO, IA, KS, MO, NE, WY




Salary - Region 9: NY & Western VT



Salary - Region 10: IN, MI, OH



Salary - Region 11: KY, NC, SC, TN, VA



Salary by years as a social worker

